

# Heterogeneous Agents models with Aggregate Shocks

## *Theory and Solution Methods*

*Thomas Bourany*

*Beyond Macro Reading Group*

January 2020

## Introduction – Motivation

- ▶ Many macro articles have to deal with **agent heterogeneity** and **aggregate uncertainty**
  - Incomplete Markets à la Bewley-Huggett-Aiyagari, Extension to HANKs
  - Pricing models à la Golosov-Lucas and Calvo+
  - Heterogeneous firms with lumpy invest<sup>nt</sup> (Hopenhayn/Kahn-Thomas)
  - Intermediary asset pricing (He-Krishnamurty/Brunnermeier-Sannikov)
  - Search & Matching models (e.g OJS à la Robin, Shimer ...)
  - Network models with business cycles
- ⇒ Any models where **distribution of allocation** matters for aggregates

## Introduction – Motivation

- ▶ Many macro articles have to deal with **agent heterogeneity** and **aggregate uncertainty**
  - Incomplete Markets à la Bewley-Huggett-Aiyagari, Extension to HANKs
  - Pricing models à la Golosov-Lucas and Calvo+
  - Heterogeneous firms with lumpy invest<sup>nt</sup> (Hopenhayn/Kahn-Thomas)
  - Intermediary asset pricing (He-Krishnamurty/Brunnermeier-Sannikov)
  - Search & Matching models (e.g OJS a la Robin, Shimer ...)
  - Network models with business cycles
- ⇒ Any models where **distribution of allocation** matters for aggregates
- ▶ Most of the computational economics literature has tried to solve this insolvable problem for more than 20 years

## Introduction – Motivation

- ▶ Many macro articles have to deal with **agent heterogeneity** and **aggregate uncertainty**
  - Incomplete Markets à la Bewley-Huggett-Aiyagari, Extension to HANKs
  - Pricing models à la Golosov-Lucas and Calvo+
  - Heterogeneous firms with lumpy invest<sup>nt</sup> (Hopenhayn/Kahn-Thomas)
  - Intermediary asset pricing (He-Krishnamurty/Brunnermeier-Sannikov)
  - Search & Matching models (e.g OJS a la Robin, Shimer ...)
  - Network models with business cycles
- ⇒ Any models where **distribution of allocation** matters for aggregates
- ▶ Most of the computational economics literature has tried to solve this insolvable problem for more than 20 years
  - Why unsolvable ?
    - Composition of aggregate and idiosyncratic uncertainty :
      - ⇒ need to keep track of all the histories of shocks
    - Infinite dimensional problem :
      - ⇒ need to keep track of the distribution of agents

## Introduction – Motivation

- ▶ Many macro articles have to deal with **agent heterogeneity** and **aggregate uncertainty**
  - Incomplete Markets à la Bewley-Huggett-Aiyagari, Extension to HANKs
  - Pricing models à la Golosov-Lucas and Calvo+
  - Heterogeneous firms with lumpy invest<sup>nt</sup> (Hopenhayn/Kahn-Thomas)
  - Intermediary asset pricing (He-Krishnamurty/Brunnermeier-Sannikov)
  - Search & Matching models (e.g OJS a la Robin, Shimer ...)
  - Network models with business cycles

⇒ Any models where **distribution of allocation** matters for aggregates
- ▶ Most of the computational economics literature has tried to solve this insolvable problem for more than 20 years
  - Why unsolvable ?
    - Composition of aggregate and idiosyncratic uncertainty :
      - ⇒ need to keep track of all the histories of shocks
    - Infinite dimensional problem :
      - ⇒ need to keep track of the distribution of agents

⇒ The literature has **reduced** the problem in different ways

## Baseline model – Aiyagari without aggregate risk

- ▶ Let us recap the Aiyagari model
  - Will use it thoroughly as an example for the different algorithms
  - Continuous time version of the [stationary case](#) :

## Baseline model – Aiyagari without aggregate risk

### ▶ Let us recap the Aiyagari model

- Will use it thoroughly as an example for the different algorithms
- Continuous time version of the **stationary case** :
- Household :

- ▶ Two states : wealth  $a$  and labor prod.  $z$ ; control consumption :  $c$
- ▶ **Idiosyncratic fluctuations** in  $z$  (Pure jump/Jump-drift process)
- ▶ State constraint (no borrowing)  $a \geq \underline{a}$
- ▶ Maximization :

$$\max_{c_t} \mathbb{E}_0 \int_0^{\infty} e^{-\rho t} u(c_t) dt \quad da_t = \underbrace{(z_t w_t + r_t a_t - c_t)}_{=s^*(t,a,z)} dt$$

- Neoclassical firms :  $Y_t = Z_t K_t^\alpha z_{av}^{1-\alpha}$ 
  - ▶ Interest rate :  $r_t = \alpha Z_t K_t^{\alpha-1} z_{av}^{1-\alpha} - \delta$  & wage  $w_t = (1 - \alpha) Z_t K_t^\alpha z_{av}^{-\alpha}$
  - ▶ Capital demand  $K_t(r) := \left( \frac{\alpha Z_t}{r_t + \delta} \right)^{\frac{1}{1-\alpha}} z_{av}$
- Discrete time version [here](#)

## Baseline model – Aiyagari without aggregate risk

- ▶ Equilibrium relations :



## Baseline model – Aiyagari without aggregate risk

► Equilibrium relations :

- ▷ A Hamilton-Jacobi-Bellman : backward in time

*How the agent value/decisions change when distribution is given*

$$-\partial_t v(t, a, z_j) + \rho v(t, a, z_j) = \max_c u(c) + \partial_a v(t, a, z_j) s(t, a, z_j) + \lambda_j (v(t, a, z_{-j}) - v(t, a, z_j))$$

## Baseline model – Aiyagari without aggregate risk

### ► Equilibrium relations :

- ▷ A Hamilton-Jacobi-Bellman : backward in time  
*How the agent **value/decisions** change when distribution is given*
- ▷ A Kolmogorov-Forward (Fokker-Planck) : forward in time  
*How the **distribution** changes, when agents control is given*

$$-\partial_t v(t, a, z_j) + \rho v(t, a, z_j) = \max_c u(c) + \partial_a v(t, a, z_j) s(t, a, z_j) + \lambda_j (v(t, a, z_{-j}) - v(t, a, z_j))$$

$$\partial_t g(t, a, z_j) = -\frac{d}{da} [s(t, a, z_j) g(t, a, z_j)] - \lambda_j g(t, a, z_j) + \lambda_{-j} g(t, a, z_{-j})$$

## Baseline model – Aiyagari without aggregate risk

### ► Equilibrium relations :

- ▷ A Hamilton-Jacobi-Bellman : backward in time  
*How the agent **value/decisions** change when distribution is given*
- ▷ A Kolmogorov-Forward (Fokker-Planck) : forward in time  
*How the **distribution** changes, when agents control is given*
- ▷ These two relations are ***coupled*** :  
*Through firm pricing ( $r_t$  &  $w_t$ )  $\Rightarrow$  need to look for an eq. fixed point*

$$-\partial_t v(t, a, z_j) + \rho v(t, a, z_j) = \max_c u(c) + \partial_a v(t, a, z_j) s(t, a, z_j) + \lambda_j (v(t, a, z_{-j}) - v(t, a, z_j))$$

$$\partial_t g(t, a, z_j) = -\frac{d}{da} [s(t, a, z_j) g(t, a, z_j)] - \lambda_j g(t, a, z_j) + \lambda_{-j} g(t, a, z_{-j})$$

$$S_t(r) := \sum_{z_j} \int_a^\infty a g(t, da, z_j) = K_t(r)$$

## Adding aggregate uncertainty

- ▶ What are the problems with **aggregate risk** ?
  - Aggregate shocks will affect the **shape** of the distribution
  - Agents need to forecast its motion (of  $g_t(\cdot)$ ) to **make expectations** about future prices ( $r_t \dots$ ) and value  $v_t$

## Adding aggregate uncertainty

- ▶ What are the problems with **aggregate risk** ?
  - Aggregate shocks will affect the **shape** of the distribution
  - Agents need to forecast its motion (of  $g_t(\cdot)$ ) to **make expectations** about future prices ( $r_t \dots$ ) and value  $v_t$ 
    - Only in case of strategic complementarity – coupling of HJB with KF.
  - The distribution  $g(t, a, z_j)$ , which is an infinite-dimensional object, becomes a **state variable** for each agent.
  - This changes for **each path/history** of aggregate shocks  $Z_t$

## Adding aggregate uncertainty

- ▶ What are the problems with **aggregate risk** ?
  - Aggregate shocks will affect the **shape** of the distribution
  - Agents need to forecast its motion (of  $g_t(\cdot)$ ) to **make expectations** about future prices ( $r_t \dots$ ) and value  $v_t$ 
    - Only in case of strategic complementarity – coupling of HJB with KF.
  - The distribution  $g(t, a, z_j)$ , which is an infinite-dimensional object, becomes a **state variable** for each agent.
  - This changes for **each path/history** of aggregate shocks  $Z_t$
- ▶ Examples :
  - AR(1)-change in agg. TFP  $Z_t$  :  $dZ_t = \theta(\bar{Z} - Z_t)dt + \sigma dB_t$
  - Could also consider :
    - Shock to credit constraint  $\underline{a}$  or to asset supply (gov<sup>m</sup> bond issuance)
    - Demand shocks/patience shock  $\rho$
    - Change in idiosyncratic volatility  $\sigma_z \equiv \mathbb{V}\text{ar}(z)$  or transition probas  $\lambda$

## Adding aggregate uncertainty : Ideas for solution

- ▶ Potential solutions :

## Adding aggregate uncertainty : Ideas for solution

► Potential solutions :

1. Consider unexpected shocks  $\Rightarrow$  MIT shocks



## Adding aggregate uncertainty : Ideas for solution

► Potential solutions :

1. Consider unexpected shocks  $\Rightarrow$  MIT shocks
2. Reduce the dimensionality of  $g(\cdot)$   $\Rightarrow$  Krusell-Smith

## Adding aggregate uncertainty : Ideas for solution

► Potential solutions :

1. Consider unexpected shocks  $\Rightarrow$  MIT shocks
2. Reduce the dimensionality of  $g(\cdot)$   $\Rightarrow$  Krusell-Smith
3. Simplify the problem (linearize it)  $\Rightarrow$  Perturbation à la Reiter

## Adding aggregate uncertainty : Ideas for solution

► Potential solutions :

1. Consider unexpected shocks  $\Rightarrow$  MIT shocks
2. Reduce the dimensionality of  $g(\cdot)$   $\Rightarrow$  Krusell-Smith
3. Simplify the problem (linearize it)  $\Rightarrow$  Perturbation à la Reiter
4. Combine 1 & 3 (linear combin. of MIT shocks)  $\Rightarrow$  BKM & ARS

## Adding aggregate uncertainty : Ideas for solution

► Potential solutions :

1. Consider unexpected shocks  $\Rightarrow$  MIT shocks
2. Reduce the dimensionality of  $g(\cdot)$   $\Rightarrow$  Krusell-Smith
3. Simplify the problem (linearize it)  $\Rightarrow$  Perturbation à la Reiter
4. Combine 1 & 3 (linear combin. of MIT shocks)  $\Rightarrow$  BKM & ARS
5. Discretize the aggregate shocks  $\Rightarrow$  Achdou-Bourany

## Adding aggregate uncertainty : Ideas for solution

► Potential solutions :

1. Consider unexpected shocks  $\Rightarrow$  MIT shocks
2. Reduce the dimensionality of  $g(\cdot)$   $\Rightarrow$  Krusell-Smith
3. Simplify the problem (linearize it)  $\Rightarrow$  Perturbation à la Reiter
4. Combine 1 & 3 (linear combin. of MIT shocks)  $\Rightarrow$  BKM & ARS
5. Discretize the aggregate shocks  $\Rightarrow$  Achdou-Bourany
6. Keep the infinite-dimensionality  $\Rightarrow$  math-literature/Lions-Lasry

## Adding aggregate uncertainty : Ideas for solution

► Potential solutions :

1. Consider unexpected shocks  $\Rightarrow$  MIT shocks
2. Reduce the dimensionality of  $g(\cdot)$   $\Rightarrow$  Krusell-Smith
3. Simplify the problem (linearize it)  $\Rightarrow$  Perturbation à la Reiter
4. Combine 1 & 3 (linear combin. of MIT shocks)  $\Rightarrow$  BKM & ARS
5. Discretize the aggregate shocks  $\Rightarrow$  Achdou-Bourany
6. Keep the infinite-dimensionality  $\Rightarrow$  math-literature/Lions-Lasry

► Today (hopefully) : will cover 1, 2 and 3

## MIT shocks : unexpected shocks

- ▶ MIT shocks are **unexpected** shocks : zero-probability events

## MIT shocks : unexpected shocks

- ▶ MIT shocks are **unexpected** shocks : zero-probability events
  - $Z_t$  is subject to a one-time shock on  $dB_t$ , i.e. normal  $\mathcal{N}(0, \sigma)$
  - Then  $Z_t$  follows the OU-(AR(1)) drift process  $dZ_t = \theta(\bar{Z} - Z_t)dt$



## MIT shocks : unexpected shocks

- ▶ MIT shocks are **unexpected** shocks : zero-probability events
    - $Z_t$  is subject to a one-time shock on  $dB_t$ , i.e. normal  $\mathcal{N}(0, \sigma)$
    - Then  $Z_t$  follows the OU-(AR(1)) drift process  $dZ_t = \theta(\bar{Z} - Z_t)dt$
  - ▶ Main idea :
    - Agents **do no anticipate** this and hence do not draw expectations
      - $v_0$  does not include the potentiality of such shocks
      - Once the shock is "revealed" there is no more uncertainty on the path of  $Z_t$
- ⇒ **Certainty equivalence (CE)** :
- No influence of variance  $\sigma$  : only size of the shock matters
  - CE typically holds in Linear-Quadratic model with (additive) shocks : quadratic utility/objective fct. and linear transition/policy functions
  - (good approximation for more general models?)

## MIT shocks : unexpected shocks

- ▶ MIT shocks are **unexpected** shocks : zero-probability events
  - $Z_t$  : One-time shock on  $dB_t$  then follows OU/AR(1) deterministically
- ▶ Solution method :
  - ▷ Almost no difference compared to deterministic case (cf recap [here](#))

## MIT shocks : unexpected shocks

- ▶ MIT shocks are **unexpected** shocks : zero-probability events
  - $Z_t$  : One-time shock on  $dB_t$  then follows OU/AR(1) deterministically
- ▶ Solution method :
  - ▷ Almost no difference compared to deterministic case (cf recap [here](#))
  - 1. Solve the HJB using backward induction : start from steady state  $v_T$  where  $T$  large (close to stationary)
  - 2. Solve the KF forward : start from the “before-shock” steady state  $g_0$
  - 3. Find the equilibrium fixed-point, by iterating on the entire *path* of prices  $\{r_t\}_{t \in [0, T]}$
- ▶ Method most commonly used as a starting point
  - Certainty equivalence and no anticipation
  - Often implies small GE effects (little price effects)

## Krusell-Smith Algorithm

### ▶ Krusell & Smith (1998)

- *Income & Wealth Heterogeneity in the Macroeconomy*, Journal of Pol. Econ.
- over 2000 cites, a lot for a technical/computational econ paper !

## Krusell-Smith Algorithm

### ► Krusell & Smith (1998)

- *Income & Wealth Heterogeneity in the Macroeconomy*, Journal of Pol. Econ.
- over 2000 cites, a lot for a technical/computational econ paper !

### ► Main idea :

- Reduce the dimensionality of the problem :
- Dynamics of the infinite dimensional  $g(t,a,z_j)$  – usually governed by the Kolmogorov Forward – will be simplified :
- Agents **perceive** the law of motion to be **log-linear** in the aggregate variable
- Only consider the **first moment** of  $g$ , i.e.

$$K_t \equiv S_t(r_t) = \sum_j \int_a a g(t, da, z_j)$$

Discrete time

## Krusell-Smith Algorithm

- ▶ The agents take their decision (in HJB) by making expectation about the future path of interest rate  $\{r_t\}_{t \in [0, T]}$ , which depends on KF :

$$\partial_t g(t, a, z_j) = H(g_t, Z_t, dZ_t) \quad \forall (t, a, z_j)$$

## Krusell-Smith Algorithm

- ▶ The agents take their decision (in HJB) by making expectation about the future path of interest rate  $\{r_t\}_{t \in [0, T]}$ , which depends on KF :

$$\partial_t g(t, a, z_j) = H(g_t, Z_t, dZ_t) \quad \forall (t, a, z_j)$$

- ▶ Krusell-Smith's method :
  - **Bounded-rationality** : agents do not anticipate the full complexity of this law of motion / KF
  - Replace  $H(g_t, Z_t, dZ_t)$ , function of  $g$  by  $\hat{H}$  a log linear function in a finite set of moment  $m = (m_1, \dots, m_l)$
  - In practice, keep only the first moment  $m_1 \equiv K \equiv S(r)$

$$d \log K_t = a(z_t) dt + b(z_t) \log K_t dt$$

## Krusell-Smith Algorithm

- ▶ The agents take their decision (in HJB) by making expectation about the future path of interest rate  $\{r_t\}_{t \in [0, T]}$ , which depends on KF :

$$\partial_t g(t, a, z_j) = H(g_t, Z_t, dZ_t) \quad \forall (t, a, z_j)$$

- ▶ Krusell-Smith's method :
  - **Bounded-rationality** : agents do not anticipate the full complexity of this law of motion / KF
  - Replace  $H(g_t, Z_t, dZ_t)$ , function of  $g$  by  $\hat{H}$  a log linear function in a finite set of moment  $m = (m_1, \dots, m_l)$
  - In practice, keep only the first moment  $m_1 \equiv K \equiv S(r)$

$$d \log K_t = a(z_t) dt + b(z_t) \log K_t dt$$

- Why? for such model, the first moment is enough !
- ⇒ Phenomenon called **approximate aggregation**



## Krusell-Smith Algorithm – Approximate aggregation

- ▶ Phenomenon called **approximate aggregation** :
  - Keeping the first moment  $m_1 \equiv K_t = \sum_j \int_a a g(t, da, z_j)$  is enough

## Krusell-Smith Algorithm – Approximate aggregation

- ▶ Phenomenon called **approximate aggregation** :
  - Keeping the first moment  $m_1 \equiv K_t = \sum_j \int_a a g(t, da, z_j)$  is enough
  - Compute the value function  $v(t, a, z_j, K)$ 
    - Value function iteration on  $v(a, K)$  & approximation outside grid (cubic spline)
    - Given "perceived" log-linear law of motion of  $\widehat{K}_t$
    - Monte Carlo on the employment status (5,000 agents and 10,000 periods)
  - Accuracy measure ?
    - Compare the aggregate  $K$  given all the decision of agents  $s(t, a, z_j, K)$
    - Regress future aggregate capital on its past values (using these 10,000 values)
    - The "reality"  $K_t$  respects the perceived Law of Motion  $\widehat{K}_t$
    - $R^2 > 0.9999$  and  $\text{Var}(\varepsilon) < 0.004\%$  with  $\varepsilon = K_t - \widehat{K}_t$

## Krusell-Smith Algorithm – Extensions and issues

- ▶ Simplifications in Krusell-Smith :

## Krusell-Smith Algorithm – Extensions and issues

### ► Simplifications in Krusell-Smith :

#### 1. Take only the **first moment** :

- Can be checked in adding **more** moments  $(m_2, \dots, m_I)$  in  $\hat{H}$  and regressing  $K_t$  on  $\hat{K}_t$
- Usually  $R^2$  is still very high for most models.

## Krusell-Smith Algorithm – Extensions and issues

### ► Simplifications in Krusell-Smith :

#### 1. Take only the **first moment** :

- Can be checked in adding **more** moments  $(m_2, \dots, m_l)$  in  $\hat{H}$  and regressing  $K_t$  on  $\hat{K}_t$
- Usually  $R^2$  is still very high for most models.

#### 2. Take a **(log-) linear** law of motion for these moments

- Can take **non-linear** dynamics/ flexible functional form for  $\hat{H}$
- Fernández-Villaverde, Hurtado, Nuño (2019, WP) use a non-linear approximation for  $\hat{H}$  :
- Agents infer/”learn” a non-linear  $\hat{H}$  using machine learning techniques (neural network)

## Krusell-Smith Algorithm – Extensions and issues

### ► Simplifications in Krusell-Smith :

#### 1. Take only the **first moment** :

- Can be checked in adding **more** moments  $(m_2, \dots, m_I)$  in  $\widehat{H}$  and regressing  $K_t$  on  $\widehat{K}_t$
- Usually  $R^2$  is still very high for most models.

#### 2. Take a **(log-) linear** law of motion for these moments

- Can take **non-linear** dynamics/ flexible functional form for  $\widehat{H}$
- Fernández-Villaverde, Hurtado, Nuño (2019, WP) use a non-linear approximation for  $\widehat{H}$  :
- Agents infer/”learn” a non-linear  $\widehat{H}$  using machine learning techniques (neural network)

### ► One (main !) problem remains :

- Can we hope that this algorithm does not create ”self-fulfilling” expectations ?
- The agents may act in a linear / approximate-aggregated way because they expected the others to do so ?

## Perturbation methods :

- ▶ A second literature rely on **linearization** and perturbation methods
  - For HA models : Reiter (2009)
    - *Solving heterogeneous agents models by projection and perturbation*, JEDC

## Perturbation methods :

- ▶ A second literature rely on **linearization** and perturbation methods
  - For HA models : Reiter (2009)
    - *Solving heterogeneous agents models by projection and perturbation*, JEDC
  - Follows a large **anterior** literature
    - DSGE lit. (RBC/medium-scale NK), Schmitt-Grohe Uribe (2004)
    - Used heavily for estimation (MCMC), because very fast
  - Large literature **following** this :
    - Reiter (2010), Den Haan (2010), Algan-Allais-Den Haan (2008)
    - Winberry (2018) Quantit. Econ., Mongey-Williams (2017) JMP
    - Ahn, Kaplan, Moll, Winberry and Wolf (2017) NBER Macro Annual



## Perturbation methods :

- ▶ A second literature rely on **linearization** and perturbation methods
  - For HA models : Reiter (2009)
    - *Solving heterogeneous agents models by projection and perturbation*, JEDC
  - Follows a large **anterior** literature
    - DSGE lit. (RBC/medium-scale NK), Schmitt-Grohe Uribe (2004)
    - Used heavily for estimation (MCMC), because very fast
  - Large literature **following** this :
    - Reiter (2010), Den Haan (2010), Algan-Allais-Den Haan (2008)
    - Winberry (2018) Quantit. Econ., Mongey-Williams (2017) JMP
    - Ahn, Kaplan, Moll, Winberry and Wolf (2017) NBER Macro Annual
- ▶ Main idea :
  - **Linearize** the model in the **aggregate** shock  $Z_t$ 
    - Linear perturbation in  $Z_t$  around the stationary equilibrium
    - but **keep the non-linearity** in **idiosyncratic** shocks
    - Large linear system : nb of states  $\approx$  nb of gridpoints
  - Projection to simplify the large system and go faster

## Reiter Algorithm

- ▶ Consider the equilibrium relations as the following **system** :
  - HJB, KF, Def of prices, Mkt clearing, Dynamics of agg. shocks
  - States :  $\Theta_t = (v_t, g_t, p_t)$ , agg. shocks  $Z_t$
  - Could have a formulation with present/future state/control var. [here](#)

$$\mathbb{E}_t[d\Theta_t] = F(\Theta_t, dZ_t, Z_t)$$

## Reiter Algorithm

- ▶ Consider the equilibrium relations as the following **system** :
  - HJB, KF, Def of prices, Mkt clearing, Dynamics of agg. shocks
  - States :  $\Theta_t = (v_t, g_t, p_t)$ , agg. shocks  $Z_t$
  - Could have a formulation with present/future state/control var. here

$$\mathbb{E}_t[d\Theta_t] = F(\Theta_t, dZ_t, Z_t)$$

- ▶ Steps :

1. Solve the **stationary** system :

$$\mathbb{E}_t[d\bar{\Theta}] = F(\bar{\Theta}, 0, \bar{Z})$$

## Reiter Algorithm

- ▶ Consider the equilibrium relations as the following **system** :
  - HJB, KF, Def of prices, Mkt clearing, Dynamics of agg. shocks
  - States :  $\Theta_t = (v_t, g_t, p_t)$ , agg. shocks  $Z_t$
  - Could have a formulation with present/future state/control var. here

$$\mathbb{E}_t[d\Theta_t] = F(\Theta_t, dZ_t, Z_t)$$

- ▶ Steps :

1. Solve the **stationary** system :

$$\mathbb{E}_t[d\bar{\Theta}] = F(\bar{\Theta}, 0, \bar{Z})$$

2. Linearize the system around it, **perturbing in the agg. shock** :

$$\mathbb{E}_t[d\hat{\Theta}_t] = \mathcal{L}F := \partial_{\Theta}F(\bar{\Theta}, 0, \bar{Z}) \cdot \hat{\Theta}_t dt + \partial_Z F_Z(\bar{\Theta}, 0, \bar{Z}) \cdot dZ$$

## Reiter Algorithm

- ▶ Consider the equilibrium relations as the following **system** :
  - HJB, KF, Def of prices, Mkt clearing, Dynamics of agg. shocks
  - States :  $\Theta_t = (v_t, g_t, p_t)$ , agg. shocks  $Z_t$
  - Could have a formulation with present/future state/control var. here

$$\mathbb{E}_t[d\Theta_t] = F(\Theta_t, dZ_t, Z_t)$$

- ▶ Steps :

1. Solve the **stationary** system :

$$\mathbb{E}_t[d\bar{\Theta}] = F(\bar{\Theta}, 0, \bar{Z})$$

2. Linearize the system around it, **perturbing in the agg. shock** :

$$\mathbb{E}_t[d\hat{\Theta}_t] = \mathcal{L}F := \partial_{\Theta}F(\bar{\Theta}, 0, \bar{Z}) \cdot \hat{\Theta}_t dt + \partial_Z F_Z(\bar{\Theta}, 0, \bar{Z}) \cdot dZ$$

3. Reduce the state-space, with **projection** : basis  $x$  for  $\Theta$

$$\Theta_t \approx X = \sum_j \gamma_{jt} x_j \quad \Rightarrow \quad \mathcal{L}F(\bar{\Theta}, \bar{Z}) \cdot [\hat{\Theta}_t dt, dZ] \approx \hat{\mathcal{L}}F(X, \bar{Z}) \cdot [\hat{X}_t dt, dZ]$$

## Reiter Algorithm, Linearization and issues

- ▶ What is **lost** due to linearization, and what is **preserved**?

## Reiter Algorithm, Linearization and issues

- ▶ What is **lost** due to linearization, and what is **preserved**?
  1. Certainty equivalence in aggregate uncertainty :
    - No influence of **variance**  $\sigma$  : only size of the shock  $Z_t$  matters
    - Agents do not “change” their decisions with aggregate uncertainty
    - Perturbation methods (at least in first order) not suited for asset pricing/portfolio choice models
    - However, agents still account for idiosyncratic variance : valid method to study uncertainty shocks (c.f. Bloom (2014))
    - **Break** certainty equivalence with **higher order** perturbation (2nd, 4th)

## Reiter Algorithm, Linearization and issues

- ▶ What is **lost** due to linearization, and what is **preserved**?
  1. Certainty equivalence in aggregate uncertainty :
    - No influence of **variance**  $\sigma$  : only size of the shock  $Z_t$  matters
    - Agents do not “change” their decisions with aggregate uncertainty
    - Perturbation methods (at least in first order) not suited for asset pricing/portfolio choice models
    - However, agents still account for idiosyncratic variance : valid method to study uncertainty shocks (c.f. Bloom (2014))
    - **Break** certainty equivalence with **higher order** perturbation (2nd, 4th)
  2. **State** dependence, in particular of the aggregate IRF to the distribution  $g_0$



## Reiter Algorithm, Linearization and issues

- ▶ What is **lost** due to linearization, and what is **preserved** ?
  1. Certainty equivalence in aggregate uncertainty :
    - No influence of **variance**  $\sigma$  : only size of the shock  $Z_t$  matters
    - Agents do not “change” their decisions with aggregate uncertainty
    - Perturbation methods (at least in first order) not suited for asset pricing/portfolio choice models
    - However, agents still account for idiosyncratic variance : valid method to study uncertainty shocks (c.f. Bloom (2014))
    - **Break** certainty equivalence with **higher order** perturbation (2nd, 4th)
  2. **State** dependence, in particular of the aggregate IRF to the distribution  $g_0$
  3. Path dependence, different histories of shocks  $\{Z_t\}_{t \in [0, T]}$  won't have the same final effects on aggregate  $K_T$  or  $C_T$

## Reiter Algorithm, Linearization and issues

- ▶ What is **lost** due to linearization, and what is **preserved** ?
  1. Certainty equivalence in aggregate uncertainty :
    - No influence of **variance**  $\sigma$  : only size of the shock  $Z_t$  matters
    - Agents do not “change” their decisions with aggregate uncertainty
    - Perturbation methods (at least in first order) not suited for asset pricing/portfolio choice models
    - However, agents still account for idiosyncratic variance : valid method to study uncertainty shocks (c.f. Bloom (2014))
    - **Break** certainty equivalence with **higher order** perturbation (2nd, 4th)
  2. **State** dependence, in particular of the aggregate IRF to the distribution  $g_0$
  3. Path dependence, different histories of shocks  $\{Z_t\}_{t \in [0, T]}$  won't have the same final effects on aggregate  $K_T$  or  $C_T$
  4. **No sign** and **size** dependence : linearity of the system in  $Z_t$  make the response of a  $\lambda Z_0$  shocks  $\lambda$  time larger than a  $Z_0$ -sized shock.

## Reiter Algorithm - Extensions

### ► Winberry (2018)

- Use the technique developed in Algan-Allais-Den Haan (2008) to approximate the distrib.  $g(a, z)$  with a parametric fct<sup>al</sup> form :

$$\log g(a, z) \approx \sum_k^{n_g} \sum_\ell^k \gamma_k^\ell (z - m_1^z)^{k-\ell} (\log a - m_1^a)^\ell$$

- Reduce the infinite dimensional object to a finite dim. one :  $n_g$

## Reiter Algorithm - Extensions

### ► Winberry (2018)

- Use the technique developed in Algan-Allais-Den Haan (2008) to approximate the distrib.  $g(a, z)$  with a parametric fct<sup>al</sup> form :

$$\log g(a, z) \approx \sum_k^{n_g} \sum_\ell^k \gamma_k^\ell (z - m_1^z)^{k-\ell} (\log a - m_1^a)^\ell$$

- Reduce the infinite dimensional object to a finite dim. one :  $n_g$
- Can compute the law of motion (replace the KF)
- Use the same perturbation methods as in Reiter
- Bayesian estimation of parameters

## Reiter Algorithm - Extensions

### ► Winberry (2018)

- Use the technique developed in Algan-Allais-Den Haan (2008) to approximate the distrib.  $g(a, z)$  with a parametric fct<sup>al</sup> form :

$$\log g(a, z) \approx \sum_k^{n_g} \sum_\ell^k \gamma_k^\ell (z - m_1^z)^{k-\ell} (\log a - m_1^a)^\ell$$

- Reduce the infinite dimensional object to a finite dim. one :  $n_g$
- Can compute the law of motion (replace the KF)
- Use the same perturbation methods as in Reiter
- Bayesian estimation of parameters

### ► Mongey and Williams (2017)

- Use Reiter's algorithm and estimate it with aggregates time series and cross-sectional micro data :
- Bayesian estimation and variance decomposition (4 different shocks)

## Reiter Algorithm - Extensions

- ▶ Ahn, Kaplan, Moll, Winberry and Wolf (2018) combines :

## Reiter Algorithm - Extensions

- ▶ Ahn, Kaplan, Moll, Winberry and Wolf (2018) combines :
  1. Continuous-time à la Achdou, Han, Lasry, Lions and Moll (2017)
    - Large speed gain for computing stationary equilibrium

## Reiter Algorithm - Extensions

- ▶ Ahn, Kaplan, Moll, Winberry and Wolf (2018) combines :
  1. Continuous-time à la Achdou, Han, Lasry, Lions and Moll (2017)
    - Large speed gain for computing stationary equilibrium
  2. Algorithm à la Reiter (2009) for linearization and perturbation w.r.t. aggregate shocks
    - Automatic differentiation to linearize the system (more accurate than finite diff<sup>o</sup>. / faster than symbolic diff<sup>o</sup>)



## Reiter Algorithm - Extensions

- ▶ Ahn, Kaplan, Moll, Winberry and Wolf (2018) combines :
  1. Continuous-time à la Achdou, Han, Lasry, Lions and Moll (2017)
    - Large speed gain for computing stationary equilibrium
  2. Algorithm à la Reiter (2009) for linearization and perturbation w.r.t. aggregate shocks
    - Automatic differentiation to linearize the system (more accurate than finite diff<sup>o</sup>. / faster than symbolic diff<sup>o</sup>)
  3. Clever dimensionality reduction (projection for  $g$  and  $v$  on a time invariant basis  $x$ )
    - More than tenfold speed for solving the linear system and IRFs
- ▶ Large literature using/developing these techniques for estimation...

## Combining Linearization and MIT shocks : BKM

### ▶ Boppart, Krusell and Mitman (2018)

- *Exploiting MIT shocks in heterogeneous-agent economies : the impulse response as a numerical derivative*, JEDC
- Recent generalization by Auclert et al. (2019) and recent work by Kaplan-Moll-Violante

### ▶ Main idea :

- Combining **non-linearity** of responses to MIT shocks
- With linearity assumption to **combine** multiple shocks
- IRF of an MIT shock is a **derivative** of the system :  
⇒ we "just" need to "compute" it once !

## Combining Linearization and MIT shocks : BKM

### ► More details on BKM

- Sequential representation of heterogeneous agents models :
- Express aggregate variables  $K_t$  (or  $C_t$ ) as a fct of past shocks on  $Z_t$ 
  - Sequence form :

$$dK_t = \mathcal{K}(\{dZ_s\}_{s \leq t}) \approx \mathcal{K}(dZ_t, dZ_{t-1}, \dots)$$

- vs. Recursive form :  $K_t = \tilde{\mathcal{K}}(\Theta_t)$  with  $\Theta_t$  states var.  $(v_t, g_t, p_t)$

### ► Linearity assumption of the system :

$$\begin{aligned}
 dK_t &= \int_0^t \partial_{dZ_s} \mathcal{K}(0) dZ_s \\
 &\approx \underbrace{\mathcal{K}(\varepsilon, 0, 0, \dots)}_{\substack{\text{IRF to a 1-time} \\ \varepsilon\text{-sized MIT shock} \\ \equiv \mathcal{K}_{dZ}(0)}} dZ_t + \mathcal{K}(0, \varepsilon, 0, \dots) dZ_{t-1} + \dots
 \end{aligned}$$

## Combining Linearization and MIT shocks : BKM

### ► Solution method in practice :

1. Simulate the IRF to a small (sized  $\varepsilon$ ) MIT shocks :
  - Shock at date  $s$  gives IRF :  $dK_t^s = \mathcal{K}(0, \dots, \varepsilon, 0, \dots)$
  - Such path represent the **non-linear** derivative  $\partial_{dZ_s} \mathcal{K}(0)$  of the system to a shock
2. Simulate a sequence of shocks  $(\{dZ_s\}_{s \leq t})$
3. Sum the IRF for different shock, rescaling by the size of the shock :

$$dK_t = \int_0^t \partial_{dZ_s} \mathcal{K}(0) dZ_s \approx \sum_s^t \frac{1}{\varepsilon} dK_t^s dZ_s$$

- Possibility of testing the linearity assumption by changing the size/sign of  $\varepsilon$

## Linearization & MIT shocks – Extensions : SHADE

► Auclert, Bardóczy, Rognlie and Straub (2019)'s SHADE :

- Equilibrium relations as the system :

$$H(K_t, Z_t) = 0$$

- Linearizing :

$$H_K(\bar{K}, \bar{Z})dK_t + H_Z(\bar{K}, \bar{Z})dZ_t = 0$$

- Path of capital as function of past shocks :

$$dK_t = \underbrace{-[\bar{H}_K]^{-1}\bar{H}_Z}_{\equiv \mathcal{K}_{dZ}(0)} dZ_t$$

## Linearization & MIT shocks – Extensions : SHADE

- ▶ Auclert, Bardóczy, Rognlie and Straub (2019)'s SHADE :

- Equilibrium relations as the system :

$$H(K_t, Z_t) = 0$$

- Linearizing :

$$H_K(\bar{K}, \bar{Z})dK_t + H_Z(\bar{K}, \bar{Z})dZ_t = 0$$

- Path of capital as function of past shocks :

$$dK_t = \underbrace{-[\bar{H}_K]^{-1}\bar{H}_Z}_{\equiv \mathcal{K}_{dZ}(0)} dZ_t$$

- ▶  $\bar{H}_K$  and  $\bar{H}_Z$  called “sequence space Jacobians”

- Need to be computed **once**
- **Sufficient statistics** : all we need, to know the agg. system response
- Fast : used in estimation (of shock process  $dZ_s$ )

## Linearization & MIT shocks – Extensions : SHADE

- ▶ These “sequence space Jacobians” :
  - Are the sufficient statistics :
    - $\bar{H}_K, \bar{H}_Z$  and  $\mathcal{K}_{dZ} \equiv -[\bar{H}_K]^{-1}\bar{H}_Z$  as a  $T \times T$  matrix
    - IRF for a path  $\{dZ_t\}_t : \approx$  derivative of system in response to shocks
    - “News” of different horizons  $s$  shocks :  $s$ -th columns of  $\mathcal{K}_{dZ}$
    - Include “under the hood” the underlying heterogeneity

## Linearization & MIT shocks – Extensions : SHADE

- ▶ These “sequence space Jacobians” :
  - Are the sufficient statistics :
    - $\bar{H}_K, \bar{H}_Z$  and  $\mathcal{K}_{dZ} \equiv -[\bar{H}_K]^{-1}\bar{H}_Z$  as a  $T \times T$  matrix
    - IRF for a path  $\{dZ_t\}_t : \approx$  derivative of system in response to shocks
    - “News” of different horizons  $s$  shocks :  $s$ -th columns of  $\mathcal{K}_{dZ}$
    - Include “under the hood” the underlying heterogeneity
  - Methods to compute it :
    - Direct methods (finite difference)
    - *Fake news* algorithm : linearize the underlying heterogeneous agents model and avoid recomputing several of the matrices



## Linearization & MIT shocks – Extensions : SHADE

- ▶ These “sequence space Jacobians” :
  - Are the **sufficient statistics** :
    - $\bar{H}_K, \bar{H}_Z$  and  $\mathcal{K}_{dZ} \equiv -[\bar{H}_K]^{-1}\bar{H}_Z$  as a  $T \times T$  matrix
    - IRF for a path  $\{dZ_t\}_t : \approx$  derivative of system in response to shocks
    - “News” of different horizons  $s$  shocks :  $s$ -th columns of  $\mathcal{K}_{dZ}$
    - Include “under the hood” the underlying heterogeneity
  - Methods to compute it :
    - Direct methods (finite difference)
    - *Fake news* algorithm : linearize the underlying heterogeneous agents model and avoid recomputing several of the matrices
- ▶ Substantial **speed gains** :
  - Linearization and no need to recompute the Jacobian
  - Lots of clever methods :
    - **Directed acyclic graph** to exploit the sparsity of system : dimension reduction by composition of Jacobians along the blocks of this DAG
    - Likelihood-based **estimation** : feasible now for even large models

## Other solution methods and optimal policies

- ▶ Linearization techniques to handle optimal policies/Ramsey plans
  - Bhandari, Evans, Golosov and Sargent (2018)
    - Linearization w.r.t all the variables/distribution (Fréchet derivative)
  - Comp. eq. vs. Constrained Efficiency vs. Pareto optimal ?  
Nuño (2017) and Nuño-Moll (2017)
  - “Major & minor agents” : Nuño and Thomas (2016)
- ⇒ Léo’s presentation next week !
  
- ▶ Other methods involving “reduced heterogeneity” :
  - Ways to “summarize” heterogeneity : Ragot (2018)
  - History Representation of HA models : summarize the different paths of idiosyncratic shocks with “representative histories”
  - Possible to determine optimal fiscal-monetary policy : Le Grand, Ragot et al. (2017)

## Tree structure for aggregate shocks : Achdou-Bourany

- ▶ Achdou-Bourany (2018)
  - Master thesis under supervision of Y. Achdou

## Tree structure for aggregate shocks : Achdou-Bourany

- ▶ Achdou-Bourany (2018)
  - Master thesis under supervision of Y. Achdou
- ▶ Main idea : approximate the process for the  $Z_t$  by a **finite** number of “simple” shocks :
  - Every  $\Delta T$  (deterministic times),  $Z_t$  jumps stochastically to one of  $K$  outcomes
  - Repeat this : a finite  $M$  number of “wave” of uncertainty
  - This way, you can build a tree of  $K^M$  paths of  $Z_t$  with deterministic branches separated by stochastic shocks
  - Taking  $\Delta T \rightarrow 0$ , you can approximate any process (e.g. Donsker’s theorem for Brownian motion)
  - Need to link the branches together in an appropriate way

## Tree structure for aggregate shocks : Achdou-Bourany

- ▶ Grafting branches :
  - On each branch (between each shock), compute the evolution of the system : HJB and KF :  $v(a, z_j, \tilde{Z})$  and  $g(a, z_j, \tilde{Z})$
- ▶ To account for future and past shocks ?
  - ⇒ use **boundary conditions** of the PDEs !

## Tree structure for aggregate shocks : Achdou-Bourany

### ▶ Grafting branches :

- On each branch (between each shock), compute the evolution of the system : HJB and KF :  $v(a, z_j, \bar{Z})$  and  $g(a, z_j, \bar{Z})$

### ▶ To account for future and past shocks ?

⇒ use **boundary conditions** of the PDEs !

- $t_m^-$  : time before revelation of the shock ( $Z_{t_m^-} = Z_m$ )
- $t_m^+$  : time when shocks hits ( $Z_{t_m^+} = Z_{m+1}$  take  $K$  values)

$$v(a, z_j, Z_m) = \sum_{k|Z_{m+1}=Z_k} \mathbb{P}(Z_{m+1}|Z_m) v(a, z_j, Z_{m+1})$$

$$g(a, z_j, Z_m) = g(a, z_j, Z_{m+1})$$

- Agents are forward looking, form expectations over the different future branches (paths of  $Z_t$ )
- Continuity of  $g(\cdot)$  in time  $t$

## Tree structure for aggregate shocks : Achdou-Bourany

- ▶ Grafting branches :
  - On each branch (between each shock), compute the evolution of the system : HJB and KF :  $v(a, z_j, \bar{Z})$  and  $g(a, z_j, \bar{Z})$
- ▶ To account for future and past shocks ?

⇒ use **boundary conditions** of the PDEs !

- $t_m^-$  : time before revelation of the shock ( $Z_{t_m^-} = Z_m$ )
- $t_m^+$  : time when shocks hits ( $Z_{t_m^+} = Z_{m+1}$  take  $K$  values)

$$v(a, z_j, Z_m) = \sum_{k|Z_{m+1}=Z_k} \mathbb{P}(Z_{m+1}|Z_m) v(a, z_j, Z_{m+1})$$

$$g(a, z_j, Z_m) = g(a, z_j, Z_{m+1})$$

- Agents are forward looking, form expectations over the different future branches (paths of  $Z_t$ )
- Continuity of  $g(\cdot)$  in time  $t$
- ▶ Loop to find eq. fixed point on the **entire tree** (all branches !)
  - Problem : computationally heavy/slow !

## Existence & Uniqueness – Mathematical literature on MFG

⇒ Heterogeneous agents  $\equiv$  Mean Field Games (MFG)

▶ Cardaliaguet, Delarue, Lasry and Lions (2019)

- Master equation in infinite-dimension :

- Value  $U(t,a,z_j,Z,g) = v(t,a,z_j,Z)$  definite along the characteristics of the system  $(v, g)$  for the dynamics of  $Z_t$ .

- Equation (&  $U$  and  $D_m U$ ) in Wasserstein space  $g \in \mathcal{P}([0,T] \times [\underline{a}, \infty], [\underline{Z}, \bar{Z}])$

▶ Carmona, Delarue and Lacker (2016)

- Stochastic Partial Diff. equations (SPDE) :

- Both HJB & KF equations become stochastic with aggreg. shocks  $Z_t$

▶ Carmona and Delarue (2018)

- Forward-Backward Stochastic Diff. equations (FBSDE) :

- Stochastic Pontryagin Maximum Principle (Hamiltonian !)

- Forward states variables  $K_t, g_t$  and Backward costates  $\approx v_t$

⇒ Different approaches summarized in sect<sup>o</sup> 3 of my master thesis [here](#) :

MFG literature exploding in the recent years !



## Conclusion

- ▶ Challenging problem and many different methods
- ▶ No perfect solution – (un)fortunately?
  - Every algorithm with its own way of bypassing difficulties
  - e.g. trade-off : Linearity/simplification for “speed”  
vs. Role for uncertainty/shape of distribution for “accuracy”
- ▶ Still lack of theoretical results on the strength of various methods
  - Global methods vs. Local (higher order) perturbation
  - Could compare them for various (closed-form) models
- ▶ Large gains despite fixed cost of entering in this literature

## Conclusion

- ▶ Challenging problem and many different methods
- ▶ No perfect solution – (un)fortunately?
  - Every algorithm with its own way of bypassing difficulties
  - e.g. trade-off : Linearity/simplification for “speed”  
vs. Role for uncertainty/shape of distribution for “accuracy”
- ▶ Still lack of theoretical results on the strength of various methods
  - Global methods vs. Local (higher order) perturbation
  - Could compare them for various (closed-form) models
- ▶ Large gains despite fixed cost of entering in this literature
- ▶ THANK YOU FOR YOUR ATTENTION !

- Achdou, Yves, Fabio Camilli and Italo Capuzzo-Dolcetta (2013), ‘Mean field games : convergence of a finite difference method’, *SIAM Journal on Numerical Analysis* **51**(5), 2585–2612.
- Achdou, Yves, Francisco J Buera, Jean-Michel Lasry, Pierre-Louis Lions and Benjamin Moll (2014), ‘Partial differential equation models in macroeconomics’, *Philosophical Transactions of the Royal Society A : Mathematical, Physical and Engineering Sciences* **372**(2028), 20130397.
- Achdou, Yves and Italo Capuzzo-Dolcetta (2010), ‘Mean field games : Numerical methods’, *SIAM Journal on Numerical Analysis* **48**(3), 1136–1162.
- Achdou, Yves, Jiequn Han, Jean-Michel Lasry, Pierre-Louis Lions and Benjamin Moll (2017), ‘Income and wealth distribution in macroeconomics : A continuous-time approach’, *R & R, Review of Economic Studies* (NBER 23732).
- Ahn, SeHyoun, Greg Kaplan, Benjamin Moll, Thomas Winberry and Christian Wolf (2018), ‘When inequality matters for macro and macro matters for inequality’, *NBER Macroeconomics annual* **32**(1), 1–75.
- Aiyagari, S Rao (1994), ‘Uninsured idiosyncratic risk and aggregate saving’, *The Quarterly Journal of Economics* **109**(3), 659–684.
- Algan, Yann, Olivier Allais and Wouter J Den Haan (2008), ‘Solving heterogeneous-agent models with parameterized cross-sectional distributions’, *Journal of Economic Dynamics and Control* **32**(3), 875–908.
- Algan, Yann, Olivier Allais, Wouter J Den Haan and Pontus Rendahl (2014), ‘Solving and simulating models with heterogeneous agents and aggregate uncertainty’, **3**, 277–324.
- Aruoba, S Borağan, Jesus Fernandez-Villaverde and Juan F Rubio-Ramirez (2006), ‘Comparing solution methods for dynamic equilibrium economies’, *Journal of Economic dynamics and Control* **30**(12), 2477–2508.

- Auclert, Adrien (2019), ‘Monetary policy and the redistribution channel’, *American Economic Review* **109**(6), 2333–67.
- Auclert, Adrien, Bence Bardóczy, Matthew Rognlie and Ludwig Straub (2019), Using the sequence-space jacobian to solve and estimate heterogeneous-agent models, Technical report, National Bureau of Economic Research.
- Bewley, Truman (1986), ‘Stationary monetary equilibrium with a continuum of independently fluctuating consumers’, *Contributions to mathematical economics in honor of Gérard Debreu* **79**.
- Bhandari, Anmol, David Evans, Mikhail Golosov and Thomas J Sargent (2018), ‘Inequality, business cycles, and monetary-fiscal policy’.
- Bloom, Nicholas (2014), ‘Fluctuations in uncertainty’, *Journal of Economic Perspectives* **28**(2), 153–76.
- Boppart, Timo, Per Krusell and Kurt Mitman (2018), ‘Exploiting mit shocks in heterogeneous-agent economies : the impulse response as a numerical derivative’, *Journal of Economic Dynamics and Control* **89**, 68–92.
- Bourany, Thomas (2018), ‘Wealth distribution over the business cycle : A mean-field game with common noise’, *Master Thesis, Sorbonne – Paris Diderot, Applied Mathematics Departments (LJLL)* .
- Brunnermeier, Markus K, Thomas M Eisenbach and Yuliy Sannikov (2012), Macroeconomics with financial frictions : A survey, Technical report, National Bureau of Economic Research.
- Brunnermeier, Markus K and Yuliy Sannikov (2014), ‘A macroeconomic model with a financial sector’, *American Economic Review* **104**(2), 379–421.

- Capuzzo-Dolcetta, Italo and P-L Lions (1990), 'Hamilton-jacobi equations with state constraints', *Transactions of the American Mathematical Society* **318**(2), 643–683.
- Cardaliaguet, Pierre (2013/2018), 'Notes on mean field games.', *Lecture notes from P.L. Lions' lectures at College de France and P. Cardaliaguet at Paris Dauphine* .
- Cardaliaguet, Pierre, François Delarue, Jean-Michel Lasry and Pierre-Louis Lions (2017), 'The master equation and the convergence problem in mean field games', *arXiv preprint arXiv :1509.02505* .
- Cardaliaguet, Pierre, François Delarue, Jean-Michel Lasry and Pierre-Louis Lions (2019), *The Master Equation and the Convergence Problem in Mean Field Games : (AMS-201)*, Vol. 381, Princeton University Press.
- Carmona, René and François Delarue (2018), *Probabilistic Theory of Mean Field Games with Applications I-II*, Springer.
- Carmona, René, François Delarue and Daniel Lacker (2016), 'Mean field games with common noise', *The Annals of Probability* **44**(6), 3740–3803.
- Christiano, Lawrence J, Martin Eichenbaum and Charles L Evans (2005), 'Nominal rigidities and the dynamic effects of a shock to monetary policy', *Journal of political Economy* **113**(1), 1–45.
- Clementi, Gian Luca and Bernardino Palazzo (2016), 'Entry, exit, firm dynamics, and aggregate fluctuations', *American Economic Journal : Macroeconomics* **8**(3), 1–41.
- Den Haan, Wouter J (1997), 'Solving dynamic models with aggregate shocks and heterogeneous agents', *Macroeconomic dynamics* **1**(2), 355–386.
- Fernández-Villaverde, Jesús and Juan F Rubio-Ramírez (2007), 'Estimating macroeconomic models : A likelihood approach', *The Review of Economic Studies* **74**(4), 1059–1087.

- Fernández-Villaverde, Jesús, Juan Francisco Rubio-Ramirez and Frank Schorfheide (2016), 'Solution and estimation methods for dsge models', **2**, 527–724.
- Fernández-Villaverde, Jesús and Oren Levintal (2018), 'Solution methods for models with rare disasters', *Quantitative Economics* **9**(2), 903–944.
- Fernández-Villaverde, Jesús, Samuel Hurtado and Galo Nuno (2019), 'Financial frictions and the wealth distribution'.
- He, Zhiguo and Arvind Krishnamurthy (2013), 'Intermediary asset pricing', *American Economic Review* **103**(2), 732–70.
- Hopenhayn, Hugo A (1992), 'Entry, exit, and firm dynamics in long run equilibrium', *Econometrica : Journal of the Econometric Society* pp. 1127–1150.
- Hopenhayn, Hugo and Richard Rogerson (1993), 'Job turnover and policy evaluation : A general equilibrium analysis', *Journal of political Economy* **101**(5), 915–938.
- Jermann, Urban and Vincenzo Quadrini (2012), 'Macroeconomic effects of financial shocks', *The American Economic Review* **102**(1), 238–271.
- Kaplan, Greg, Benjamin Moll and Giovanni L Violante (2018), 'Monetary policy according to hank', *American Economic Review* **108**(3), 697–743.
- Kaplan, Greg and Giovanni L Violante (2018), 'Microeconomic heterogeneity and macroeconomic shocks', *Journal of Economic Perspectives* **32**(3), 167–94.
- Khan, Aubhik and Julia K. Thomas (2008), 'Idiosyncratic shocks and the role of nonconvexities in plant and aggregate investment dynamics', *Econometrica* **76**(2), 395–436.

- Khan, Aubhik and Julia K Thomas (2013), ‘Credit shocks and aggregate fluctuations in an economy with production heterogeneity’, *Journal of Political Economy* **121**(6), 1055–1107.
- Krusell, Per and Anthony A Smith, Jr (1998), ‘Income and wealth heterogeneity in the macroeconomy’, *Journal of political Economy* **106**(5), 867–896.
- Le Grand, François, Xavier Ragot et al. (2017), ‘Optimal fiscal policy with heterogeneous agents and aggregate shocks’, *Document de travail* .
- Levintal, Oren (2017), ‘Fifth-order perturbation solution to dsge models’, *Journal of Economic Dynamics and Control* **80**, 1–16.
- Levintal, Oren (2018), ‘Taylor projection : A new solution method for dynamic general equilibrium models’, *International Economic Review* **59**(3), 1345–1373.
- McKay, Alisdair, Emi Nakamura and Jón Steinsson (2016), ‘The power of forward guidance revisited’, *American Economic Review* **106**(10), 3133–58.
- Mongey, Simon and Jerome Williams (2017), ‘Firm dispersion and business cycles : Estimating aggregate shocks using panel data’, *Manuscript, New York University* .
- Nuño, Galo (2017), ‘Optimal social policies in mean field games’, *Applied Mathematics & Optimization* **76**(1), 29–57.
- Nuño, Galo and Carlos Thomas (2016), ‘Optimal monetary policy with heterogeneous agents’.
- Ragot, Xavier (2018), ‘Heterogeneous agents in the macroeconomy : reduced-heterogeneity representations’, **4**, 215–253.
- Reiter, Michael (2009), ‘Solving heterogeneous-agent models by projection and perturbation’, *Journal of Economic Dynamics and Control* **33**(3), 649–665.

- Reiter, Michael (2010), ‘Solving the incomplete markets model with aggregate uncertainty by backward induction’, *Journal of Economic Dynamics and Control* **34**(1), 28–35.
- Reiter, Michael (2018), ‘Comments on” exploiting mit shocks in heterogeneous-agent economies : The impulse response as a numerical derivative” by t. boppart, p. krusell and k. mitman’, *Journal of Economic Dynamics and Control* **89**, 93–99.
- Schmitt-Grohé, Stephanie and Martin Uribe (2004), ‘Solving dynamic general equilibrium models using a second-order approximation to the policy function’, *Journal of economic dynamics and control* **28**(4), 755–775.
- Terry, Stephen J. (2017), ‘Alternative methods for solving heterogeneous firm models’, *Journal of Money, Credit and Banking* **49**(6), 1081–1111.
- Vavra, Joseph (2013), ‘ Inflation Dynamics and Time-Varying Volatility : New Evidence and an Ss Interpretation \*’, *The Quarterly Journal of Economics* **129**(1), 215–258.
- Winberry, Thomas (2016a), ‘Lumpy investment, business cycles, and stimulus policy’, *Revise and resubmit, American Economic Review* .
- Winberry, Thomas (2016b), ‘A toolbox for solving and estimating heterogeneous agent macro models’, *Forthcoming Quantitative Economics* .
- Young, Eric R (2010), ‘Solving the incomplete markets model with aggregate uncertainty using the krusell–smith algorithm and non-stochastic simulations’, *Journal of Economic Dynamics and Control* **34**(1), 36–41.



## Aiyagari model without aggregate risk – discrete time

### ► Household :

- Two states : wealth  $a$  and labor prod.  $z$ ; control consumption :  $c$
- Idiosyncratic fluctuation in  $z$  (Markov chain/AR(1) process)
- State constraint (no borrowing)  $a_t \geq \underline{a}$
- Maximization :

$$\max_{c_t} \mathbb{E}_0 \sum_{t=0}^{\infty} \beta^t u(c_t) \quad c_t + a_{t+1} = z_t w_t + r_t (1 + a_t)$$

### ► Neoclassical firms : $Y_t = Z_t K_t^\alpha z_{av}^{1-\alpha}$

- Interest rate :  $r_t = \alpha Z_t K_t^{\alpha-1} z_{av}^{1-\alpha} - \delta$  & wage  $w_t = (1 - \alpha) Z_t K_t^\alpha z_{av}^{-\alpha}$
- Capital demand  $K_t(r) := \left( \frac{\alpha Z_t}{r_t + \delta} \right)^{\frac{1}{1-\alpha}} z_{av}$

## Aiyagari model without aggregate risk – discrete time

- ▶ Equilibrium (recursive) relations :

## Aiyagari model without aggregate risk – discrete time

► Equilibrium (recursive) relations :

- ▷ A Bellman equation : backward in time

*How the agent **value/decisions** change when distribution is given*

$$v_t(a, z) = \max_{c, a'} u(c) + \beta \mathbb{E} [v_{t+1}(a', z') | \sigma(z)]$$

$$s.t. \quad c + a' = zw_t + r_t(1+a) \quad a' \geq \underline{a} \quad \Rightarrow \quad a'^* = \mathcal{A}(a, z)$$

## Aiyagari model without aggregate risk – discrete time

- ▶ Equilibrium (recursive) relations :
  - ▷ A Bellman equation : backward in time  
*How the agent **value/decisions** change when distribution is given*
  - ▷ A Law of Motion of the distribution : forward in time  
*How the **distribution** changes, when agents control is given*

$$v_t(a, z) = \max_{c, a'} u(c) + \beta \mathbb{E} [v_{t+1}(a', z') | \sigma(z)]$$

$$s.t. \quad c + a' = zw_t + r_t(1+a) \quad a' \geq \underline{a} \quad \Rightarrow \quad a'^* = \mathcal{A}(a, z)$$

$$\forall \tilde{A} \subset [\underline{a}, \infty) \quad g_{t+1}(\tilde{A}, z') = \sum_z \pi_{z'|z} \int \mathbf{1}_{\{\mathcal{A}(a, z) \in \tilde{A}\}} g_t(da, z)$$

## Aiyagari model without aggregate risk – discrete time

► Equilibrium (recursive) relations :

- ▷ A Bellman equation : backward in time

*How the agent **value/decisions** change when distribution is given*

- ▷ A Law of Motion of the distribution : forward in time

*How the **distribution** changes, when agents control is given*

- ▷ These two relations are ***coupled*** :

*Through firm pricing ( $r_t$  &  $w_t$ )  $\Rightarrow$  need to look for an eq. fixed point*

$$v_t(a, z) = \max_{c, a'} u(c) + \beta \mathbb{E} [v_{t+1}(a', z') | \sigma(z)]$$

$$s.t. \quad c + a' = zw_t + r_t(1+a) \quad a' \geq \underline{a} \quad \Rightarrow \quad a'^* = \mathcal{A}(a, z)$$

$$\forall \tilde{A} \subset [\underline{a}, \infty) \quad g_{t+1}(\tilde{A}, z') = \sum_z \pi_{z'|z} \int \mathbb{1}_{\{\mathcal{A}(a, z) \in \tilde{A}\}} g_t(da, z)$$

$$S_t(r) := \sum_z \int_a^\infty a g_t(da, z_j) = K_t(r)$$

## The algorithm : an overview

- ▶ **Aim** : find the **stationary equilibria** : i.e. the functions  $v(a, z_j)$  and  $g(a, z_j)$  and the interest rate  $r$ .
- ▶ **General structure** :
  1. **Guess** interest rate  $r^\ell$ , compute capital demand  $K(r^\ell)$  & wages  $w(K)$
  2. Solve the **HJB** using finite differences (semi-implicit method) : obtain  $s^\ell(a, z_j)$  and then  $v^\ell(a, z_j)$ , by a system of sort :  

$$\rho \mathbf{v} = \mathbf{u}(\mathbf{v}) + \mathbf{A}(\mathbf{v}; r) \mathbf{v}$$
  3. Using  $\mathbf{A}^T$ , solve the **FP** equation (finite diff. system :  $\mathbf{A}(\mathbf{v}; r)^T \mathbf{g} = 0$ ), and obtain  $g(a, z_j)$
  4. Compute the capital **supply**  $S(\mathbf{g}, r) = \sum_j \int_a^\infty a g(a, z_j) da$
  5. If  $S(r) > K(r)$ , decrease  $r^{\ell+1}$  (**update** using bisection method), and conversely, and come back to step 2.
  6. **Stop** if  $S(r) \approx K(r)$

## The algorithm : advantages relative to discrete time :

1. Borrowing constraint only appears in the **boundary conditions**
  - FOCs  $u'(c(a, z_j)) = \partial_a v(a, z_j)$  and HJB eq. always holds with equality
  - No need to split the Bellman equation (constrained vs. unconstrained agents)

## The algorithm : advantages relative to discrete time :

1. Borrowing constraint only appears in the **boundary conditions**
  - FOCs  $u'(c(a, z_j)) = \partial_a v(a, z_j)$  and HJB eq. always holds with equality
  - No need to split the Bellman equation (constrained vs. unconstrained agents)
2. In continuous time there is **no future** (i.e.  $t + 1$ ) only **present**  $t$ !
  - Only involve contemporaneous variables (FOC are 'static')
  - No need to use costly root-finding to obtain optimal  $c(a, z_j)$ .



## The algorithm : advantages relative to discrete time :

1. Borrowing constraint only appears in the **boundary conditions**
  - FOCs  $u'(c(a, z_j)) = \partial_a v(a, z_j)$  and HJB eq. always holds with equality
  - No need to split the Bellman equation (constrained vs. unconstrained agents)
2. In continuous time there is **no future** (i.e.  $t + 1$ ) only **present**  $t!$ 
  - Only involve contemporaneous variables (FOC are 'static')
  - No need to use costly root-finding to obtain optimal  $c(a, z_j)$ .
3. The discretized system is **easy** to solve :
  - 'Simply' a matrix inversion  
(Finite differences : taught in 1st year in any engineering school).
  - Matrix is sparse (tridiagonal)
  - Continuous space : one step left or one step right

## The algorithm : advantages relative to discrete time :

1. Borrowing constraint only appears in the **boundary conditions**
  - FOCs  $u'(c(a, z_j)) = \partial_a v(a, z_j)$  and HJB eq. always holds with equality
  - No need to split the Bellman equation (constrained vs. unconstrained agents)
2. In continuous time there is **no future** (i.e.  $t + 1$ ) only **present**  $t!$ 
  - Only involve contemporaneous variables (FOC are 'static')
  - No need to use costly root-finding to obtain optimal  $c(a, z_j)$ .
3. The discretized system is **easy** to solve :
  - 'Simply' a matrix inversion  
(Finite differences : taught in 1st year in any engineering school).
  - Matrix is sparse (tridiagonal)
  - Continuous space : one step left or one step right
4. HJB and FP are **coupled**
  - The matrix to solve FP is the transpose of the one of HJB.
  - Why? Operator in FP is simply the '**adjoint**' of the operator in HJB :  
'Two birds one stone'
  - Specificity of MFG!


## The algorithm : Finite difference scheme

- ▶ Finite difference scheme : discretize the state-space  $a_i$  for  $i = 1, \dots, I$ .

$$\partial_a v(a_i, z_j) \approx \frac{v_{i+1,j} - v_{i,j}}{\Delta a} \equiv v'_{i,j,F}$$

$$\partial_a v(a_i, z_j) \approx \frac{v_{i-1,j} - v_{i,j}}{\Delta a} \equiv v'_{i,j,B}$$

- ▶ Vector form :
- ▶ Linear system to solve  $\mathbf{A}$  is sparse.



$$\rho \mathbf{v} = \mathbf{u}(\mathbf{v}) + \mathbf{A}(\mathbf{v}; r) \mathbf{v}$$

$$0 = \mathbf{A}(\mathbf{v}; r)^T \mathbf{g}$$

$$S(\mathbf{g}, r) = K(r)$$

## The algorithm : theoretical results

- ▶ This numerical solution **converges** to the unique (viscosity) solution of the HJB, under some conditions :
  1. Monotonicity (invertible and inverse positive)
  2. Consistent (approx error is majored by powers of step sizes)
  3. Stability (iteration in  $k$  is bounded)
- ▶ Is the matrix monotonous ?
  - In the scheme for solving the HJB, one can distinguish if the drift is positive or negative :
  - that is the **upwind scheme**
  - When  $s(a) > 0$  use  $v'_{i,j,F}$ , and  $s(a) < 0$ , use  $v'_{i,j,B}$
  - This insures the convergence of the algorithm

## The algorithm : transition dynamics

- ▶ The algo for transitions is a generalization :
  - Discretization :  $v_{i,j}^n$  and  $g_{i,j}^n$  stacked into  $v^n$  and  $g^n$
  - Somehow, it is more specific to Mean Field Games :

## The algorithm : transition dynamics

- ▶ The algo for transitions is a generalization :
  - Discretization :  $v_{i,j}^n$  and  $g_{i,j}^n$  stacked into  $v^n$  and  $g^n$
  - Somehow, it is more specific to Mean Field Games :
- ▶ Take advantage of the **backward-forward** structure of the MFG
  - Make a guess  $r_t^\ell$  ( $t = 1, \dots, N$ ) on the *path* interest rates.
  - Solve the **HJB** (implicit scheme), given **terminal condition** ;

$$\rho v^{n+1} = u^n + \mathbf{A}(v^{n+1}; r^n) v^{n+1} + \frac{v^{n+1} - v^n}{\Delta t}$$

$$v^N = v_\infty \quad (\text{terminal condition} = \text{steady state})$$

## The algorithm : transition dynamics

- ▶ The algo for transitions is a generalization :
  - Discretization :  $v_{i,j}^n$  and  $g_{i,j}^n$  stacked into  $v^n$  and  $g^n$
  - Somehow, it is more specific to Mean Field Games :
- ▶ Take advantage of the **backward-forward** structure of the MFG
  - Make a guess  $r_t^\ell$  ( $t = 1, \dots, N$ ) on the *path* interest rates.
  - Solve the **HJB** (implicit scheme), given **terminal condition**;

$$\rho v^{n+1} = u^n + \mathbf{A}(v^{n+1}; r^n) v^{n+1} + \frac{v^{n+1} - v^n}{\Delta t}$$

$$v^N = v_\infty \quad (\text{terminal condition} = \text{steady state})$$

- Solve the **FP** forward, given the **initial condition**

$$\frac{g^{n+1} - g^n}{\Delta t} = \mathbf{A}(v^n; r^n)^T g^{n+1}$$

$$g^1 = g_0 \quad (\text{initial condition})$$

- Update the interest rates path

## The algorithm : wrapping up

- ▶ This algorithm to compute the **dynamics** of the system will be used a lot when adding aggregate shocks.
  - HJB start from the end (what agent anticipate) and runs **backward** until the computation of the initial value function
  - FP start from the beginning (what wealth agents hold) and runs **forward** to compute the evolution of distributions.
  - If there are discrepancies between capital demand and capital supply, loop to **correct the path** of interest rate.



## The algorithm : wrapping up

- ▶ This algorithm to compute the **dynamics** of the system will be used a lot when adding aggregate shocks.
  - HJB start from the end (what agent anticipate) and runs **backward** until the computation of the initial value function
  - FP start from the beginning (what wealth agents hold) and runs **forward** to compute the evolution of distributions.
  - If there are discrepancies between capital demand and capital supply, loop to **correct the path** of interest rate.
- ▶ Performance of the algorithm :
  - $\approx 1000$  grid points in space, 400 in time :
  - Stationary equilibrium : 0.25-0.4 sec
  - Transition dynamics : around 30-50 secs
    - Perfect foresight or MIT shocks.
    - $10^{-6}$  error on the path of interest rate.
  - What about **anticipated** aggregate shocks ?
    - ⇒ Very different speeds for different algos !

## Krusell-Smith Algorithm in Discrete time

► Model in discrete time :

- Using the discrete time Aiyagari model
- Add a jump/AR(1) process for aggregate productivity  $Z_t$

$$v_t(a, z; g, Z) = \max_{c, a'} u(c) + \beta \mathbb{E}[v_{t+1}(a', z'; g', Z')] | \sigma(z, Z)$$

$$s.t. \quad c + a' = zw_t(K, Z) + r_t(K, Z)(1 + a) \quad a' \geq \underline{a}$$

$$g' = H(g, Z) = \Pi_{(g, v, K, Z)} \cdot g$$

$$S(r) := \sum_j \int_a^\infty a g(da, z_j) = K(r)$$

- The agents take their decision (in Bellman eq.) by making expectation about the future path of prices  $\{r_t, w_t\}_{t \in [0, T]}$ , which depends on the Law of Motion of the distribution
  - Law of Motion  $H(\cdot)$  is “perceived” to be log linear in the first aggregate moment  $K$

## Krusell-Smith Algorithm in Discrete time

- ▶ Krusell-Smith's method : change the "perceived" law of motion :
  - **Bounded-rationality** : agents do not anticipate the full complexity of this law of motion / KF
  - Replace  $H(g, Z)$ , function of  $g...$

$$g' = H(g, Z) = \Pi_{(g,v,K,Z)} \cdot g \quad \Rightarrow \quad K' = f(K; g, v, Z)$$

... by  $\hat{H}$  a log linear function in a finite set of moment  $m = (m_1 \dots m_I)$

- In practice, keep only the first moment  $m_1 \equiv K \equiv S(r)$

$$m = \hat{H}(m, Z) \quad \Rightarrow \quad \log K' = a(z) + b(z) \log K$$

- Why? for such model, the first moment is enough!
- ⇒ Phenomenon called **approximate aggregation**

Back

# Krusell-Smith Algorithm

## ► Krusell-Smith results on approximate aggregation

$$\log \bar{k}' = 0.095 + 0.962 \log \bar{k}; \quad R^2 = .999998, \hat{\sigma} = 0.0028\%,$$

in good times and

$$\log \bar{k}' = 0.085 + 0.965 \log \bar{k}; \quad R^2 = .999998, \hat{\sigma} = 0.0036\%$$

in bad times.<sup>10</sup>




FIG. 1.—Tomorrow's vs. today's aggregate capital (benchmark model)

## Perturbation methods in discrete time : Reiter

- ▶ Equilibrium relations of Krusell-Smith model in discrete time :
  - Euler equation, Law of motion of distribution (discretized as an histogram), Price/TFP dynamics
    - $\varepsilon_t$  Exog. shocks on  $Z_t$  and  $\eta_t$  expectation error.

$$H(\Theta_{t+1}, \Theta_t, \eta_{t+1}, \varepsilon_{t+1}) = 0$$

- Stationary equilibrium :

$$H(\bar{\Theta}, \bar{\Theta}, 0, 0) = 0$$

- Linearization (finite diff<sup>o</sup>) :

$$H_1(\bar{\Theta}, \bar{\Theta}, 0, 0)\hat{\Theta}_{t+1} + H_2(\bar{\Theta}, \bar{\Theta}, 0, 0)\hat{\Theta}_t + H_3\eta_{t+1} + H_4\varepsilon_{t+1} = 0$$

Back